

DAFTAR PUSTAKA

- Alderete-Chavez, A., Guerra-Santos, J.J., De la Cruz- Landero, N., Brito, R., Guevara, E., Gelabert, R., Nunez, E., Endanu, E. & Amador-del Angel, L.E. (2011) Evaluation of *Clitoria ternatea* L. in relation with fertility in tropical soils. *Journal of Applied Sciences*, 11 (6), 1044–1048.
- Bishop, A.C., Boersma, M. & Barnes, C.D. (2000) *Clitoria ternatea* (butterfly-pea) [Online] 12th Australian Weeds Conference: Papers and Proceedings. Wrest Point Convention Centre, Hobart, Tasmania, 12–16 September 1999. Tasmanian Weed Society. Available from: https://www.cabi.org/isc/datasheet/55416#_6d6353e8-4df0-4ae2-b2a5-c67e7f9fecc2 [Accessed 9 August 2018].
- Bishoyi, A.K. & Geetha, K.A. (2013) Polymorphism in flower colour and petal type in aparajita (*Clitoria ternatea*). *Journal of Medicinal and Aromatic Plants*, 3 (2), 12–14.
- Bishoyi, A.K., Pillai, V.V., Geetha, K.A. & Maiti, S. (2014) Assessment of genetic diversity in *Clitoria ternatea* populations from different parts of India by RAPD and ISSR markers. *Genetic Resources and Crop Evolution*, 61 (8), 1597–1609.
- Budiasih KS. 2017. Kajian Potensi Farmakologis Bunga Telang (*Clitoria ternatea*). Di dalam : sinergi Penelitian dan Pembelajaran untuk Mendukung Pengembangan Literasi Kimia pada Era Global. *Prosiding Seminar Nasional Kimia*. Ruang Seminar FMIPA UNY: 14 Oktober 2017. hlm 201-206
- Chikkaswamy, B. (2015) Assessment of genetic diversity and relationships of medicinal plants using RAPD marker. *International Journal of Advanced Research in IT and Engineering*, 4 (2), 25–35.
- Dalimartha, S. 2008. *Atlas Tumbuhan Obat Indonesia Jilid 3*. Jakarta: Perpustakaan Nasional RI
- Ercan A, G., K, M. Taksin, K. Yurgut M. Bilgen, and M, Z, Firat 2002. Charakterization of Turkish sesame (*Sesamun Indiculum* L) landraces using agronomic and morpologicia descriptor. *Academis universitas Ziraat facultesi Dergis*. 15(2): 45-52
- Erlina D, Yunus M, Azrai M. 2011. Karakterisasi genetik koleksi plasma nutfah sorgum (*Sorghum bicolor* L. *Moench*) berbasis marka SSR (*Simple sequence repeats*). *Jurnal Litbang Pertanian* 25 (3): 1-15.
- Fantz, P.R. (1977) *A monograph of the genus Clitoria (Leguminoceae: Glycineae)*. Ph.D. thesis. University of Florida.
- Gomez, S. Michael and A. Kalamani. Butterfly Pea (*Clitoria ternatea*): A Nutritive Multipurpose Forage Legume for the Tropics – An Overview. *Pakistan Journal of Nutrition* 2 (6): 374-379, 2003.

- Harsono. 2011. *Etnografi Pendidikan sebagai Desain Penelitian Kualitatif*. Surakarta: Universitas Muhammadiyah Surakarta.
- Hartono, M.A. 2013. Pemanfaatan Ekstrak Bunga Telang (*Clitoria ternatea*, L.) sebagai Pewarna Alami Es Lilin, Skripsi. Fakultas Teknobiologi. Universitas Atma Jaya Yogyakarta. Yogyakarta . Hal: 1- 49
- IBPGR (International Board for Plant Genetic Resources), 1983, *Cowpea Descriptors*, IBPGR Secretariat. Rome
- ILDIS (2016) International Legume Database and Information Service. [Online] Available from: <http://www.ildis.org> [Accessed 7 March 2018].
- Indrawan, M., R.B. Primack dan J. Supriatna. 2007. *Biologi Konservasi*. Yayasan Obor Indonesia. Jakarta
- Karuwal, R.L. (2011) *Variasi genetik pisang tongkat langit (Musa troglodytarum L) berdasarkan karakter morfologis dan molekuler*. Tesis S2. Universitas Gadjah Mada.
- Lee, M. P., Abdullah, R., dan Hung, K, L, 2011, Thermal Degradation of blue Anthocyanin Extract of clitoria ternatea flower. *International Conference on Biotechnology and Food Science IPCBEE*, 7:49-53.
- Mabhaudhi, T., A.T. Modi. 2013. Preliminary assessment of genetic diversity in three taro [*Colocasia esculenta* (L.) Schoot] landraces using agro-morphological and SSR DNA characterisation. *J. Agric. Sci. Tech.* 2:265-271.
- Macedo MLR, Xavier-Filho J. 1992. Purification and partial characterisation of trypsin inhibitors from seeds of *Clitoria ternatea*. *J Sci Food Agric.* 58:55-58.
- Makasana, J., Dholakiya, B.Z., Gajbhiye, N.A., Bishoyi, A.K. & Raju, S. (2016) Assessment of chemical diversity in *Clitoria ternatea* accessions by an improved and validated HPTLC method. *Indian Journal of Agricultural Sciences*, 86 (9), 1133–1139.
- Mangoendidjojo. 2008. *Pengantar Pemuliaan Tanaman*. Kanisius, Yogyakarta.
- Medrizam dkk. 2004. *Wilayah Kritis Keanekaragaman Hayati di Indonesia : instrument penilaian dan pemindaian indikatif / cepat bagi pengambil kebijakan*. Jakarta: United Nation Development Program (UNDP).
- Morris, J.B. (2009) Characterization of butterfly pea (*Clitoria ternatea* L.) accessions for morphology, phenology, reproduction and potential nutraceutical, pharmaceutical trait utilization. *Genetic Resources and Crop Evolution*, 56 (3), 421–427.
- Nulik J. 2009. Kacang kupu (*Clitoria ternatea*) legiminoso herba alternative untuk system usaha tani intergrasi sapi dan jagung di Pulau Timor. *Wartazoa* 19(1): 43-51.

- Nur, A., Azrai, M. & Trikoesoemaningtyas, T. (2014) Inter- aksi genetik lingkungan dan variabilitas genetik galur gandum introduksi (*Triticum aestivum* L.) di agro-ekosistem tropika. *Jurnal AgroBiogen*, 10 (3), 93–100.
- Reid, R. & Sinclair, D. (1980) An evaluation of a collection of *Clitoria ternatea* for forage and grain production. *Genetic Resources Communication*, 1, 1–8.
- Sastrapradja, S. D. 1992. Sarasehan *plasma nutfah dan system nasional penanganannya*. Yogyakarta, 7- 9 November 1990. Komisi Pelestarian Plasma Nutfah Nasional. Bogor.
- Sitepu, R., Irmeilyana & Gultom, B. (2011) Analisis cluster terhadap tingkat pencemaran udara pada sektor industri di Sumatera Selatan. *Jurnal Penelitian Sains*, 14 (3), 11–17.
- Staples. 1992. *Clitoria ternatea* L. Record from Proseabase. Mannedje L't, Jones, RM, editors. Bogor (Indonesia): PROSEA (Plant Resources of South-East Asia) Foundation.
- Stefano, R.D., Fantz, P.R., Fernandez-Concha, G.C. & Itza, L.L.C. (2008) *Centrosema* and *Clitoria* (Leguminosae: Papilionidae: Phaseoleae: Clitoriinae) in the Mexican Yucatán peninsula, including three lectotypifications. *Vulpia*, 7, 1–15
- Suarna IW. 2005. Kembang telang (*Clitoria ternatea*) tanaman pakan dan penutup tanah. Dalam: Subandriyo, Diwyanto K, Inounu I, Prawiradiputra BR, Setiadi B, Nurhayati, Priyanti A, penyunting, Lokakarya Nasional Tanaman Pakan Ternak, Bogor, 16 September 2005. Bogor (Indonesia): Pusbalitbang Peternakan. hlm. 95-98.
- Syukur, M., S. Sujiprihati, R.Yunianti, dan D.A. Kusumah. 2011. Pendugaan Ragam Genetik Dan Heritabilitas Karakter Komponen Hasil Beberapa Genotipe Cabai. ISSN 1412-2286. *Jurnal Agrivigor* 10(2): 148-156.
- Tairo, F., Mneney, E. & Kullaya, A. (2008) Morphological and agronomical characterization of sweet potato (*Ipomoea batatas* [L.] Lam.) germplasm collection from Tanzania. *African Journal of Plant Science*, 2 (8), 77–85.
- Tantituvanont A, Werawatganone P, Jiamchaisri P, Manopakdee K, 2008, Preparation and stability of butterfly pea color extract loaded in microparticles prepared by spray drying. *Thai. J. Pharm. Sci.* 32:59-69.
- Utami, P., 2008, *Buku Pintar Tanaman Obat*, PT Agromedia pustaka, Jakarta, 139.
- Warhamni, D. Boer, Muzuni. 2013. Keragaman morfologi ubi jalar (*Ipomoea batatas* (L.) Lam.) asal Kabupaten Muna. *J. Agroteknos.* 3:121-126

