

## DAFTAR PUSTAKA

- Akbar, A. (2020) ‘Gambaran Faktor Penyebab Infertilitas Pria di Indonesia: Meta Analisis’, *Jurnal Pandu Husada*, 1(2), p. 66. Available at: <https://doi.org/10.30596/jph.v1i2.4433>.
- Altman, A.D. et al. (2008) ‘Maternal Age-related Rates of Gestational Trophoblastic Disease’, *Obstetrics and Gynecology*, 112(2), pp. 244–250. Available at: <https://doi.org/10.1097/AOG.0b013e3181802186>.
- Anggrayni, N.H., Mas’udah, E.K. and Triningsih, R.W. (2022) ‘Faktor Determinan Kejadian Blighted Ovum’, *Jurnal Kebidanan*, 11(2), pp. 14–17. Available at: <https://doi.org/10.47560/keb.v11i2.380>.
- Batti, F. (2022) *Gambaran Wanita Penderita Mola Hidatidosa di Bagian Obstetri dan Ginekologi RSUD Dr. H.Chasan Boesoirie Ternate*. Universitas Khairun.
- Begum, J., Palai, P. and Ghose, S. (2016) ‘Complete molar pregnancy in postmenopausal women’, *Journal of Mid-Life Health*, 7(2), pp. 91–93. Available at: <https://doi.org/10.4103/0976-7800.185328>.
- Blakemore, S.J., Burnett, S. and Dahl, R.E. (2010) ‘The Role of Puberty in the Developing Adolescent Brain’, *Human Brain Mapping*, 31(6), pp. 926–933. Available at: <https://doi.org/10.1002/hbm.21052>.
- BPS Provinsi Maluku Utara (2019) *Provinsi Maluku Utara dalam Angka 2019*. Maluku Utara: BPS Provinsi Maluku Utara.
- Candelier, J.J. (2016) ‘The Hydatidiform Mole’, *Cell Adhesion and Migration*, 10(1–2), pp. 226–235. Available at: <https://doi.org/10.1080/19336918.2015.1093275>.
- Chunningham, F.G. et al. (2018) *William Obstetrics*. 25th edn. United States of America: Mc Graw Hill Education.
- Damongilala, S., Tendean, H.M.M. and Loho, M. (2015) ‘Profil Mola Hidatidosa Di Blu Rsup Prof. Dr. R. D. Kandou Manado’, *e-CliniC*, 3(2), pp. 3–6. Available at: <https://doi.org/10.35790/ecl.3.2.2015.8601>.
- Djoar, R.K. and Anggarani, A.P.M. (2021) *Geriatri 2*. Edited by P. Asadini. Aceh: Syiah Kuala University Press.

- Farahdiba, I. (2018) ‘Hubungan Umur dan Paritas Terhadap Kejadian Mola hidatidosa di RSUD Syekh Yusuf Gowa Tahun 2018’, *Jurnal Kesehatan Delima Pelamonia*, 2(1), pp. 14–17. Available at: <https://doi.org/10.37337/jkdp.v2i1.54>.
- Fisher, R.A. and Sebire, N.J. (2022) ‘Hydatidiform Moles’, *Brenner’s Encyclopedia of Genetics: Second Edition*, 5, pp. 598–601. Available at: <https://doi.org/10.1016/B978-0-12-374984-0.00760-9>.
- Ghassemzadeh, S., Farci, F. and Kang, M. (2022) *Hydatidiform Mole, StatPearls [Internet]*. Treasure Island: StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK459155/>.
- Kasmiati (2019) ‘Faktor-faktor yang Berhubungan dengan Kejadian Mola Hidatidosa di RSUP DR. Wahidin Sudirohusodo Makassar’, *Jurnal Graha Edukasi* [Preprint]. Available at: <https://doi.org/https://doi.org/10.54184/jikkhc.v3i4.215>.
- Kasminawati, Hakim, B.H.A. and Tahir, A.M. (2015) ‘Status Gizi dan Riwayat Komplikasi Kehamilan Sebagai Determinan Kejadian Komplikasi Persalinan di Kabupaten Mamuju’, *Jurnal MKMI (Media Kesehatan Masyarakat Indonesia*, 2(1), pp. 99–107. Available at: <https://media.neliti.com/media/publications/212850-status-gizi-dan-riwayat-komplikasi-kehama.pdf>.
- Kurdi, M.S. (2016) ‘Trophoblastic Hyperthyroidism and Its Perioperative Concerns’, *Intech*, 11(tourism), p. 13. Available at: <https://doi.org/10.5772/57523>.
- Kusuma, A. intan and Adi, P.B. (2017) ‘Karakteristik Mola Hidatidosa Di Rsup Dr. Kariadi Semarang’, *Jurnal Kedokteran Diponegoro*, 6(2), pp. 319–327. Available at: <http://ejournal-s1.undip.ac.id/index.php/medico>.
- Lestari, Y. and Demartoto, A. (2013) ‘Perempuan dan Rokok (Kajian Sosiologi Kesehatan Terhadap Perilaku Kesehatan Reproduksi Perempuan Perokok di Kota Surakarta)’, *Jurnal Promosi Kesehatan Indonesia*, 6(1). Available at: <https://argyo.staff.uns.ac.id/2013/05/30/perempuan-dan-rokok-kajian-sosiologi-kesehatan-terhadap-perilaku-kesehatan-reproduksi-perempuan->

- perokok-di-kota-surakarta/.
- Lumbanraja, S.N. (2017) *Kegawatdaruratan Obstetri*. Medan: USU Press.
- Lurain, J.R. (2019) *Hydatidiform mole: Recognition and management, Jurnal OBGYN kontemporer*. Available at: <https://www.contemporaryobgyn.net/view/hydatidiform-mole-recognition-and-management> (Accessed: 16 May 2023).
- Margareth (2013) *Buku Ajar Bidan*. Jakarta: Penerbit Buku Kedokteran EGC.
- Martaadisoerata, D. et all (ed.) (2018) *Obstetri Patologi*. 3rd edn. Jakarta: Penerbit Buku Kedokteran EGC.
- Martaadisoerata, D., Wirakusumah, F. and Effendi, J. (eds) (2013) *Obstetri Patologi: Ilmu Kesehatan Reproduksi*. Jakarta: EGC.
- Milani, H.S. et al. (2017) ‘Risk factors for hydatidiform mole: Is Husband’s job a major risk factor?’, *Asian Pacific Journal of Cancer Prevention*, 18(10), pp. 2657–2662. Available at: <https://doi.org/10.22034/APJCP.2017.18.10.2657>.
- Mohamed (2008) *Frekuensi mola hidatidosa di Bagian Patologi Anatomi Fakultas Kedokteran Universitas Andalas periode Januari 2003 sampai Desember 2004*. Universitas Andalas-Padang. Available at: <https://text-id.123dok.com/document/zlg1mvoy-frekuensi-mola-hidatidosa-di-laboratorium-patologi-anatomi-fakultas-kedokteran-universitas-andalas-periode-januari-2003-sampai-desember-2004.html>.
- Nickkho-Amiry, M. et al. (2019) ‘Hydatidiform molar pregnancy following assisted reproduction’, *Journal of Assisted Reproduction and Genetics* [Preprint]. Available at: <https://doi.org/10.1007/s10815-018-1389-9>.
- Octiara, D.L. and Sari, R.D.P. (2021) ‘Mola Hidatidosa’, *JK Unila*, 5. Available at: <https://juke.kedokteran.unila.ac.id/index.php/JK/article/view/2933>.
- PDQ Adult Treatment Editorial Board (2022) ‘Gestational Trophoblastic Disease Treatment (PDQ®): Patient Version’, *PDQ Cancer Information Summaries* [Preprint]. Available at: <https://www.cancer.gov/types/gestational-trophoblastic/patient/gtd-treatment-pdq> (Accessed: 8 March 2023).
- Pribadi, G.S. (2019) *Hubungan Antara Merokok Dengan Obesitas Sentral Pada Pria Di Indonesia*, Universitas Airlangga. Universitas Airlangga. Available

- at: <https://repository.unair.ac.id/95798/>.
- Puspita Sari, R.D. *et al.* (2018) *Hubungan Riwayat Abortus Dengan Kejadian Mola Hidatidosa Pada Wanita Usia Reproduktif Di Rsud Abdul Moeloek Lampung*. Available at: [http://repository.lppm.unila.ac.id/10424/1/dr\\_Ratna\\_DPS%28Laporan Penelitian Fakultas 2018%29.pdf](http://repository.lppm.unila.ac.id/10424/1/dr_Ratna_DPS%28Laporan Penelitian Fakultas 2018%29.pdf).
- Rinata, E. and Andayani, G.A. (2018) ‘Karakteristik ibu (usia, paritas, pendidikan) dan dukungan keluarga dengan kecemasan ibu hamil trimester III’, *Medisains*, 16(1), p. 14. Available at: <https://doi.org/10.30595/medisains.v16i1.2063>.
- Risneni, R. (2017) ‘Hubungan Usia Dan Paritas Dengan Kejadian Mola Hidatidosa Pada Satu Rumah Sakit Di Provinsi Lampung’, *Jurnal Ilmiah Keperawatan Sai Betik*, 12(2), pp. 173–178. Available at: <http://www.ejurnal.poltekkes-tjk.ac.id/index.php/JKEP/article/view/595/544%0A>.
- Rochjati, P. (2011) *Skrining Antenatal Pada Ibu Hamil: Pengenalan Faktor Risiko Deteksi Dini Ibu Hamil Risiko Tinggi*. 2nd edn. Surabaya: Airlangga University Press.
- Ronnett, B.M. (2018) ‘Hydatidiform moles: Ancillary techniques to refine diagnosis’, *Archives of Pathology and Laboratory Medicine*, 142(12), pp. 1485–1502. Available at: <https://doi.org/10.5858/arpa.2018-0226-RA>.
- Saputra, A.N.D. *et al.* (2019) ‘Malignancy Risk Factors of Hydatidiform Mole’, *Indonesian Journal of Obstetrics and Gynecology*, 7(2), pp. 146–151. Available at: <https://doi.org/10.32771/inajog.v7i2.581>.
- Satria (2011) *Gambaran Angka Kejadian Mola Hidatidosa di RSUD Tenriawaru Kelas B Kab. Bone Tahun 2008-2010*. Akademi Kebidanan Batari Toja Watampone.
- Savage, P.M. *et al.* (2013) ‘The relationship of maternal age to molar pregnancy incidence, risks for chemotherapy and subsequent pregnancy outcome’, *Journal of Obstetrics and Gynaecology*, 33(4), pp. 406–411. Available at: <https://doi.org/10.3109/01443615.2013.771159>.
- Sebire, N.J. *et al.* (2002) ‘Risk of partial and complete hydatidiform molar pregnancy in relation to maternal age’, *BJOG: An International Journal of*

- Obstetrics and Gynaecology*, 109(1), pp. 99–102. Available at: <https://doi.org/10.1111/j.1471-0528.2002.t01-1-01037.x>.
- Septiyaningsih, R., Dwi Kusumawati, D. and Ulfah, A. (2016) ‘Faktor-Faktor Ibu yang Mempengaruhi Kejadian Mola Hidatidosa’, *Jurnal Kesehatan Al-Irsyad (JKA)*, IX(2), pp. 17–24. Available at: <https://www.stikesalirsyadclp.ac.id/ojs/journals/1/articles/62/submission/proof/62-4-289-1-10-20170918.pdf>.
- Soares, M.M. et al. (2019) ‘Efect of vitamin A suplementation: A systematic review’, *Ciencia e Saude Coletiva*, 24(3), pp. 827–838. Available at: <https://doi.org/10.1590/1413-81232018243.07112017>.
- Soper, J.T. (2021) ‘Gestational Trophoblastic Disease: Current Evaluation and Management’, *Obstetrics and gynecology*, 137(2), pp. 355–370. Available at: <https://doi.org/10.1097/AOG.0000000000004240>.
- Stone, M. et al. (1976) ‘Relationship of Oral Contraception To Development of Trophoblastic Tumour After Evacuation of a Hydatidiform Mole’, *BJOG: An International Journal of Obstetrics & Gynaecology*, 83(12), pp. 913–916. Available at: <https://doi.org/10.1111/j.1471-0528.1976.tb00774.x>.
- Stone, M. and Bagshawe, K.D. (1979) ‘An Analysis of The Influences of Maternal Age, Gestational Age, Contraceptive Method, and The Mode of Primary Treatment of Patients with Hydatidiform Moles on The Incidence of Subsequent Chemotherapy’, *British Journal of Obstetrics and Gynaecology*, 86(October), pp. 782–792. Available at: <https://doi.org/10.1111/j.1471-0528.1979.tb10694.x>.
- Tang, Y. et al. (2020) ‘The impact of pre-evacuation ultrasound examination in histologically confirmed hydatidiform mole in missed abortion’, *BMC Women’s Health*, 20(196), pp. 1–6. Available at: <https://doi.org/10.1186/s12905-020-01064-9>.
- Tobing, M. et al. (2021) ‘Relationship of Histopathological Representation of Excessive Proliferation of Trophoblast Cells with the Possibility of Malignant Events After Complete Hydatidiform Mole’, *International Journal of General Medicine*, 14, p. 1899. Available at: <https://doi.org/10.2147/IJGM.S271635>.